Tire Science and Technolgy
Index to Volume 24
1996

Number	Months	Pages
1	Jan.–Mar.	1–92
2	Apr.–Jun.	93–182
3	Jul.–Sep.	183–276
4	Oct.–Dec.	277–374

A

Abe, A.: *see* Nakajima, Y., Kamegawa, T., and Abe, A.
Abe, A., Kamegawa, T., and Nakajima, Y.: Optimum Young's modulus distribution in tire design, Jul.-Sep., 204
Akasaka, T.: *see* Shiobara, H., Akasaka, T., and Kagami, S.
Aligning moment
  A free-rolling cornering test for heavy-duty truck tires (Pottinger, Pelz, Tapia, and Winkler), Apr.–Jun., 153

B

Belt model
  Analytical comments on radial tire nonuniformity (Koutny), Apr.–Jun., 132
  Torsional analysis of a steel cord-rubber tire belt structure (Pidaparti), Oct.–Dec., 339
Buschmann, J.: Pass-by noise measurement with a noise-isolated car, Jan.–Mar., 2

C

Cho, C.-T.: *see* Han, I.-S., Chung, C.-B., Kim, J.-H., Kim, S.-J., Chung, H.-C., Cho, C.-T., and Oh, S.-C.
Chung, C.-B.: *see* Han, I.-S., Chung, C.-B., Kim, J.-H., Kim, S.-J., Chung, H.-C., Cho, C.-T., and Oh, S.-C.
Chung, H.-C.: *see* Han, I.-S., Chung, C.-B., Kim, J.-H., Kim, S.-J., Chung, H.-C., Cho, C.-T., and Oh, S.-C.
Computational models
  Computational models for multilayered composite shells with application to tires (Kulikov), Jan.–Mar., 11
Contact pressure
  Two-dimensional contact pressure distribution of a radial tire in motion (Shiobara, Akasaka, and Kagami), Oct.–Dec., 294
Cord end transitions
  End effects in twisted cord-rubber composites (Padovan), Oct.–Dec., 321
Cord-rubber composites
  Torsional analysis of a steel cord-rubber tire belt structure (Pidaparti), Oct.–Dec., 339
Cornering
  Finite element analysis of a quasi-static rolling tire model

for determination of truck tire forces and moments (Goldstein), Oct.–Dec., 278
Crack
An application of finite element-based fracture mechanics analysis to cord-rubber structures (Ebbott), Jul.–Sep., 220
Cure kinetics
Predictive model for reversion-type cures (Rimondi, Toth, and Kounavis), Jan.–Mar., 77
Cure model
Predictive model for reversion-type cures (Rimondi, Toth, and Kounavis), Jan.–Mar., 77
Cure reaction kinetics
Dynamic simulation of the tire curing process, (Han, Chung, Kim, Kim, Chung, Cho, and Oh), Jan.–Mar., 50
Curing process
Dynamic simulation of the tire curing process, (Han, Chung, Kim, Kim, Chung, Cho, and Oh), Jan.–Mar., 50

D

Daniel, I. M.: *see* Wang, T.-M., Daniel, I. M., and Huang, K.
Durability
An application of finite element-based fracture mechanics analysis to cord-rubber structures (Ebbott), Jul.–Sep., 220
Dynamic simulation
Dynamic simulation of the tire curing process, (Han, Chung, Kim, Kim, Chung, Cho, and Oh), Jan.-Mar., 50

E

Ebbott, T. G.: An application of finite element-based fracture mechanics analysis to cord-rubber structures, Jul.–Sep., 220

F

Fatigue
An application of finite element-based fracture mechanics analysis to cord-rubber structures (Ebbott), Jul.–Sep., 220
Finite element analysis
An application of finite element-based fracture mechanics analysis to cord-rubber structures (Ebbott), Jul.–Sep., 220
Development of a 60-series self-supporting tire (Willard), Jul.–Sep., 236
Dynamic simulation of the tire curing process, (Han, Chung, Kim, Kim, Chung, Cho, and Oh), Jan.–Mar., 50
End effects in twisted cord-rubber composites (Padovan), Oct.–Dec., 321
Finite element analysis of a quasi-static rolling tire model for determination of truck tire forces and moments (Goldstein), Oct.–Dec., 278
Optimum Young's modulus distribution in tire design (Abe, Kamegawa, and Nakajima), Jul.–Sep., 204

Stress analysis of tire sections (Wang, Daniel, and Huang), Oct.–Dec., 349
Torsional analysis of a steel cord-rubber tire belt structure (Pidaparti), Oct.–Dec., 339
Fluid dynamics
Calculation of the three-dimensional free surface flow around an automobile tire (Grogger and Weiss), Jan.–Mar., 39
Force and moment
A free-rolling cornering test for heavy-duty truck tires (Pottinger, Pelz, Tapia, and Winkler), Apr.–Jun., 153
Finite element analysis of a quasi-static rolling tire model for determination of truck tire forces and moments (Goldstein), Oct.–Dec., 278
Fracture
An application of finite element-based fracture mechanics analysis to cord-rubber structures (Ebbott), Jul.–Sep., 220
Free rolling cornering
A free-rolling cornering test for heavy-duty truck tires (Pottinger, Pelz, Tapia, and Winkler), Apr.–Jun., 153
Free surface flow
Calculation of the three-dimensional free surface flow around an automobile tire (Grogger and Weiss), Jan.–Mar., 39
Friction
Friction and wear of tire tread rubber (Sakai), Jul.–Sep., 252

G

Goldstein, A. A.: Finite element analysis of a quasi-static rolling tire model for determination of truck tire forces and moments, Oct.–Dec., 278
Grogger, H. and Weiss, M.: Calculation of the three-dimensional free surface flow around an automobile tire, Jan.–Mar., 39
GUTT
Optimum Young's modulus distribution in tire design (Abe, Kamegawa, and Nakajima), Jul.–Sep., 204
Theory of optimum tire contour and its application (Nakajima, Kamegawa, and Abe), Jul.–Sep., 184

H

Han, I.-S., Chung, C.-B., Kim, J.-H., Kim, S.-J., Chung, H.-C., Cho, C.-T., and Oh, S.-C.: Dynamic simulation of the tire curing process, Jan.–Mar., 50
Heat transfer
Dynamic simulation of the tire curing process, (Han, Chung, Kim, Kim, Chung, Cho, and Oh), Jan.–Mar., 50
Huang, K.: *see* Wang, T.-M., Daniel, I. M., and Huang, K.
Hydroplaning
Calculation on the three-dimensional free surface flow around an automobile tire (Grogger and Weiss), Jan.–Mar., 39

I

Indoor tire wear
  Indoor simulation of tire wear: some case studies (Stalnaker, Turner, Parekh, Whittle, and Norton), Apr.–Jun., 94
Irregular wear
  Indoor simulation of tire wear: some case studies (Stalnaker, Turner, Parekh, Whittle, and Norton), Apr.–Jun., 94
ISO 362
  Pass-by noise measurement with a noise-isolated car (Buschmann), Jan.–Mar., 2

K

Kagami, S.: *see* Shiobara, H., Akasaka, T., and Kagami, S.
Kamegawa, T.: *see* Abe, A., Kamegawa, T., and Nakajima, Y.
Kamegawa, T.: *see* Nakajima, Y., Kamegawa, T., and Abe, A.
Kim, J.-H.: *see* Han, I.-S., Chung, C.-B., Kim, J.-H., Kim, S.-J., Chung, H.-C., Cho, C.-T., and Oh, S.-C.
Kim, S.-J.: *see* Han, I.-S., Chung, C.-B., Kim, J.-H., Kim. S.-J., Chung, H.-C., Cho, C.-T., and Oh. S.-C.
Kounavis, J.: *see* Rimondi, G., Toth, W. J., and Kounavis, J.
Koutny, F.: Analytical comments on radial tire nonuniformity, Apr.–June., 132
Kulikov, G. M.: Computational models for multilayered composite shells with application to tires, Jan.–Mar., 11

L

Laser scanning
  Indoor simulation of tire wear: some case studies (Stalnaker, Turner, Parekh, Whittle, and Norton), Apr.–Jun., 94
Lateral force
  A free-rolling cornering test for heavy-duty truck tires (Pottinger, Pelz, Tapia, and Winkler), Apr.–Jun., 153
Lift force
  Calculation of the three-dimensional free surface flow around an automobile tire (Grogger and Weiss), Jan.–Mar., 39
Light weight
  Light-weight tire concept (Lux and Stumpf), Apr.–Jun., 119
Load transfer mechanism
  End effects in twisted cord-rubber composites (Padovan), Oct.–Dec., 321
Lux, F. and Stumpf, H.: Light-weight tire concept, Apr.–Jun., 119

M

Modulus optimization
  Optimum Young's modulus distribution in tire design (Abe, Kamegawa, and Nakajima), Jul.–Sep., 204
Moiré method
  Stress analysis of tire sections (Wang, Daniel, and Huang), Oct.–Dec., 349

Multilayered composite shell
Computational models for multilayered composite shells with application to tires (Kulikov), Jan.–Mar., 11

N

Nakajima, Y.: *see* Abe, A., Kamegawa, T., and Nakajima, Y.
Nakajima, Y., Kamegawa, T., and Abe, A.: Theory of optimum tire contour and its application, Jul.–Sep., 184
Noise isolation
Pass-by noise measurement with a noise-isolated car (Buschmann), Jan.–Mar., 2
Nonequilibrium tire contour
Theory of optimum tire contour and its application (Nakajima, Kamegawa, and Abe), Jul.–Sep., 184
Norton, R.: *see* Stalnaker, D., Turner, J., Parekh, D., Whittle, B., and Norton, R.

O

Oh, S.-C.: *see* Han, I.-S., Chung, C.-B., Kim, J.-H., KIm, S.-J., Chung, H.-C., Cho, C.-T., and Oh, S.-C

P

Padovan, J.: End effects in twisted cord-rubber compsites, Oct.–Dec., 321
Parekh, D.: *see* Stalnaker, D., Turner, J., Parekh, D., Whittle, B., and Norton, R.
Pass-by noise
Pass-by noise measurement with a noise-isolated car (Buschmann), Jan.–Mar., 2
Pelz, W.: *see* Pottinger, M. G., Pelz, W., Tapia, G. A., and Winkler, C. B.
Pidaparti, R. M. V.: Torsional anlaysis of a steel cord-rubber tire belt structure, Oct.–Dec., 339
Pottinger, M. G., Pelz, W., Tapia, G. A., and Winkler, C. B.: A free-rolling cornering test for heavy-duty truck tires, Apr.,–Jun., 153

R

Radial run-out
Analytical comments on radial tire nonuniformity (Koutny), Apr.–Jun., 132
Radial stiffness
Analytical comments on radial tire nonuniformity (Koutny), Apr.–Jun., 132
RCOT
Theory of optimum tire contour and its application (Nakajima, Kamegawa, and Abe), Jul.–Sep., 184
Rimondi, G., Toth, W. J., and Kounavis, J.: Predictive model for reversion-type cures, Jan.–Mar., 77
Ring model
Two-dimensional contact pressure distribution of a radial tire in motion (Shiobara, Akasaka, and Kagami), Oct.–Dec. 294

Rolling resistance
Light-weight tire concept (Lux and Stumpf), Apr.–Jun., 119
Rolling tire
Finite element analysis of a quasi-static rolling tire model for determination of truck tire forces and moments (Goldstein), Oct.–Dec., 278
Rubber
Friction and wear of tire tread rubber (Sakai), Jul–Sep., 252
Predictive model for reversion-type cures (Rimondi, Toth, and Kounavis), Jan.–Mar., 77
Rubber reversion
Predictive model for reversion-type cures (Rimondi, Toth, and Kounavis), Jan.–Mar., 77

S

Sakai, H.: Friction and wear of tire tread rubber, Jul–Sep., 252
Self-supporting tire
Development of a 60-series self-supporting tire (Willard), Jul.–Sep., 236
Shiobara, H., Akasaka, T., and Kagami, S.: Two-dimensional contact pressure distribution of a radial tire in motion, Oct.–Dec., 294
Slip measurement
Pass-by noise measurement with a noise-isolated car (Buschmann), Jan.–Mar., 2
Stalnaker, D., Turner, J., Parekh, D., Whittle, B., and Norton, R.: Indoor simulation of tire wear: some case studies, Apr.–Jun., 94
Statistics
Analytical comments on radial tire nonuniformity (Koutny), Apr.–Jun., 132
Strain
Computational models for multilayered composite shells with application to tires (Kulikov), Jan.–Mar., 11
Stress analysis of tire sections (Wang, Daniel, and Huang), Oct.–Dec., 349
Stress
Computational models for multilayered composite shells with application to tires (Kulikov), Jan.–Mar., 11
Stress analysis of tire sections (Wang, Daniel, and Huang), Oct.–Dec., 349
Stumpf, H.: *see* Lux, F. and Stumpf, H.

T

Tapia, G. A.: *see* Pottinger, M. G., Pelz, W., Tapia, G. A., and Winkler, C. B.
TCOT
Theory of optimum tire contour and its application (Nakajima, Kamegawa, and Abe), Jul.–Sep., 184
Tire
Analytical comments on radial tire nonuniformity (Koutny), Apr.–Jun., 132
An application of finite element-based fracture mechanics analysis to cord-rubber structures (Ebbott), Jul–Sep., 220

Computational models for multilayered composite shells with application to tires (Kulikov), Jan.–Mar., 11
Friction and wear of tire tread rubber (Sakai), Jul.–Sep., 252
Stress analysis of tire sections (Wang, Daniel, and Huang), Oct.–Dec., 349
Torsional analysis of a steel cord-rubber tire belt structure (Pidaparti), Oct.–Dec., 339
Two-dimensional contact pressure distribution of a radial tire in motion (Shiobara, Akasaka, and Kagami), Oct.–Dec., 294
Tire construction
Light-weight tire concept (Lux and Stumpf), Apr.–Jun., 119
Tire design
Optimum Young's modulus distribution in tire design (Abe, Kamegawa, and Nakajima), Jul.–Sep., 204
Tire performance
Theory of optimum tire contour and its application (Nakajima, Kamegawa, and Abe), Jul.–Sep., 184
Tire/road noise
Pass-by noise measurement with a noise-isolated car (Buschman), Jan.–Mar., 2
Toth, W. J.: *see* Rimondi, G., Toth, W. J., and Kounavis, J.
Torsional stiffness
Torsional analysis of a steel cord-rubber tire belt structure (Pidaparti), Oct.–Dec., 339
Traction
Finite element analysis of a quasi-static rolling tire model for determination of truck tire forces and moments (Goldstein), Oct.–Dec., 278
Treadwear
Friction and wear of tire tread rubber (Sakai), Jul.–Sep., 252
Indoor simulation of tire wear: some case studies (Stalnaker, Turner, Parekh, Whittle, and Norton), Apr.–Jun., 94
Truck tires
A free-rolling cornering test for heavy-duty truck tires (Pottinger, Pelz, Tapia, and Winkler), Apr.–Jun., 153
Turner, J.: *see* Stalnaker, D., Turner, J., Parekh, D., Whittle, B., and Norton, R.

U

Uniformity
Analytical comments on radial tire nonuniformity (Koutny), Apr.–Jun., 132

V

Viscoelasticity
Two-dimensional contact pressure distribution of a radial tire in motion (Shiobara, Akasaka, and Kagami), Oct.–Dec. 294

W

Wang, T.-M., Daniel, I. M., and Huang, K.: Stress analysis of tire sections, Oct.–Dec., 349

Weight reduction
Light-weight tire concept (Lux and Stumpf), Apr.–Jun., 119
Weiss, M.: *see* Grogger, H. and Weiss, M.
Willard, W. L.: Development of a 60-series self-supporting tire, Jul.–Sep., 236
Winkler, C. B.,: *see* Pottinger, M. G., Pelz, W., Tapia, G. A., and Winkler, C. B.
Whittle, B.: *see* Stalnaker, D., Turner, J., Parekh, D., Whittle, B., and Norton, R.

Z

Zero inflation
Development of a 60-series self-supporting tire (Willard), Jul–Sep., 236